

# bodyline®

## SAFETY DATA SHEET AUTO GLOSS POLISH

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name AUTO GLOSS POLISH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Polish.

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Brown Brothers Distribution Limited  
PO Box 162  
Needham Road  
Stowmarket  
IP14 2ZR  
01449 778333  
01449 773472  
enquiries@brownbrothers.com

#### 1.4. Emergency telephone number

Emergency telephone +44 (0)1449 778333 (Mon-Fri 9:00am-5:00pm GMT)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

Physical hazards Flam. Liq. 3 - H226

Health hazards Elicitation - EUH208 STOT SE 3 - H336

Environmental hazards Aquatic Chronic 2 - H411

Classification (67/548/EEC or 1999/45/EC) N; R51/53. R10, R67

#### 2.2. Label elements

##### Pictogram



##### Signal word

Warning

##### Hazard statements

H226 Flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.  
EUH208 Contains dipentene. May produce an allergic reaction.

## AUTO GLOSS POLISH

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/spray.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p>
<b>Contains</b>	Naphtha (petroleum), hydrodesulfurized heavy
<b>Supplementary precautionary statements</b>	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P240 Ground/bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use only non-sparking tools.</p> <p>P243 Take precautionary measures against static discharge.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P312 Call a POISON CENTER/doctor if you feel unwell.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P391 Collect spillage.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Naphtha (petroleum), hydrodesulfurized heavy</b>	<b>30-60%</b>
CAS number: 64742-82-1	EC number: 265-185-4
<b>Classification</b> Flam. Liq. 3 - H226 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65. N; R51/53. R10, R67
<b>dipentene</b>	<b>&lt;1%</b>
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b> Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi; R38. N; R50/53. R10, R43

## AUTO GLOSS POLISH

<b>cyclohexylamine</b>	<b>&lt;1%</b>
CAS number: 108-91-8	EC number: 203-629-0
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226	Xn; R21/22. C; R34. Repr. Cat. 3 R62. R10
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Repr. 2 - H361f	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly.
<b>Inhalation</b>	Get medical attention if any discomfort continues.
<b>Ingestion</b>	Give plenty of water to drink. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water.
<b>Eye contact</b>	Get medical attention if any discomfort continues. Remove affected person from source of contamination. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
<b>Inhalation</b>	May cause discomfort. May be harmful if inhaled.
<b>Ingestion</b>	A single exposure may cause the following adverse effects: Nausea, vomiting. May be harmful if swallowed.
<b>Skin contact</b>	May be harmful in contact with skin. May cause discomfort. Prolonged and frequent contact may cause redness and irritation.
<b>Eye contact</b>	May be slightly irritating to skin and eyes. Prolonged or repeated exposure may cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
<b>Specific treatments</b>	Not applicable.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

## AUTO GLOSS POLISH

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is flammable.

**Hazardous combustion products** None known.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with eyes and prolonged skin contact.

### 6.2. Environmental precautions

**Environmental precautions** The product contains a substance which may cause long-term adverse effects in the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with eyes and prolonged skin contact.

**Advice on general occupational hygiene** Clean equipment and the work area every day. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container. Keep container tightly closed in a cool place.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.

## AUTO GLOSS POLISH

<b>Eye/face protection</b>	Contact lenses should not be worn when working with this chemical. Chemical splash goggles.
<b>Hand protection</b>	Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374.
<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Opaque liquid.
<b>Colour</b>	White.
<b>Odour</b>	Rhubarb.
<b>pH</b>	pH (concentrated solution): 9.6
<b>Initial boiling point and range</b>	100°C @ 760 mm Hg
<b>Flash point</b>	45°C
<b>Vapour pressure</b>	17.5 mm Hg @ 20°C
<b>Relative density</b>	0.954
<b>Solubility(ies)</b>	Dispersible in water.
<b>Auto-ignition temperature</b>	> 200°C
<b>Viscosity</b>	Slightly Viscous

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	None known.
---	-------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid exposure to high temperatures or direct sunlight. Avoid freezing.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong oxidising agents. Strong reducing agents.
---------------------------	--

## AUTO GLOSS POLISH

### 10.6. Hazardous decomposition products

**Hazardous decomposition products**      May emit toxic fumes under fire conditions.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Inhalation**                                      Vapours may irritate throat/respiratory system. May be harmful if inhaled.

**Ingestion**                                        May cause discomfort if swallowed. May be harmful if swallowed.

**Skin contact**                                    Prolonged skin contact may cause redness and irritation. May be harmful in contact with skin.

**Eye contact**                                     May cause irritation. May cause serious eye damage.

### SECTION 12: Ecological Information

**Ecotoxicity**                                      May cause long lasting harmful effects to aquatic life.

#### 12.1. Toxicity

**Toxicity**    Not applicable.

#### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

#### 12.4. Mobility in soil

**Mobility**    The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

**Other adverse effects**                        None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information**                        Dispose of waste product or used containers in accordance with local regulations

### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)**                            1993

**UN No. (IMDG)**                                1993

**UN No. (ICAO)**                                1993

**UN No. (ADN)**                                 1993

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)**        FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (IMDG)**            FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (ICAO)**            FLAMMABLE LIQUID, N.O.S.

**Proper shipping name (ADN)**            FLAMMABLE LIQUID, N.O.S.

## AUTO GLOSS POLISH

### 14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

#### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

#### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## AUTO GLOSS POLISH

### SECTION 16: Other information

<b>General information</b>	Only trained personnel should use this material.
<b>Issued by</b>	HS&E Manager.
<b>Revision date</b>	04/06/2015
<b>Revision</b>	1
<b>SDS number</b>	5689
<b>Risk phrases in full</b>	<p>R10 Flammable.</p> <p>R21/22 Harmful in contact with skin and if swallowed.</p> <p>R34 Causes burns.</p> <p>R38 Irritating to skin.</p> <p>R43 May cause sensitisation by skin contact.</p> <p>R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R62 Possible risk of impaired fertility.</p> <p>R65 Harmful: may cause lung damage if swallowed.</p> <p>R67 Vapours may cause drowsiness and dizziness.</p>
<b>Hazard statements in full</b>	<p>H226 Flammable liquid and vapour.</p> <p>H302 Harmful if swallowed.</p> <p>H304 May be fatal if swallowed and enters airways.</p> <p>H312 Harmful in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H361f Suspected of damaging fertility.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>EUH208 Contains dipentene. May produce an allergic reaction.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.