

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Safety Data Sheet: EXPRESS DIRECT GLAZING SEALANT 310ml

Product Name	: Express Direct Glazing Sealant 310ml
Product Code	: BEDGS310
Revision Date	: 01/01/2016
Revision Number	: 2

Company	: Brown Brothers Distribution Limited
Address	: PO Box 162 Needham Road Stowmarket IP14 2ZR
Telephone	: 0044 (0) 1449 778333
Fax	: 0044 (0) 1449 773472
Email	: enquiries@brownbrothers.com

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU3, SU17, SU22

SU3, SU17, SU21, SU22

Product category PC1 Adhesives, sealants**Process category** PROC1-5, PROC7, PROC8a, PROC8b, PROC9-11, PROC13-14, PROC 19, PROC21**Environmental release category** ERC5, ERC8c, ERC8d, ERC8f**Article category** Not applicable**Application of the substance / the mixture** Adhesives**Uses advised against SU21 Consumer uses:** Private households / general public / consumers**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008****GHS08** health hazard**Resp. Sens. 1 H334** May cause allergy or asthma symptoms or breathing difficulties if inhaled.**Classification according to Directive 67/548/EEC or Directive 1999/45/EC****Xn;** Sensitising**R42:** May cause sensitisation by inhalation.**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

diphenylmethane-4,4'-di-isocyanate

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P284 [In case of inadequate ventilation] wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

<i>Dangerous components:</i>		
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	10-<25%
CAS: 28553-12-0 EINECS: 249-079-5	di-"isononyl" phthalate substance with a Community workplace exposure limit	10-<25%
CAS: 101-68-8 EINECS: 202-966-0	diphenylmethane-4,4'-di-isocyanate ☒ Xn R20-40-48/20; ☒ Xn R42/43; ☒ Xi R36/37/38 Carc. Cat. 3 ☒ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ☒ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	0,1-<1%

Additional information: For the wording of the listed risk phrases refer to section 16.

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Seek medical treatment in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Maximum storage temperature: < 35 °C

Minimum storage temperature: > 0 °C

Storage temperature: 0 - 35 °C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

<i>Ingredients with limit values that require monitoring at the workplace:</i>	
1333-86-4 Carbon black	
<i>WEL (Great Britain english)</i>	Short-term value: 7 mg/m ³ Long-term value: 3,5 mg/m ³
28553-12-0 di-"isononyl" phthalate	
<i>WEL (Great Britain english)</i>	Long-term value: 5 mg/m ³
101-68-8 diphenylmethane-4,4'-di-isocyanate	
<i>AGW (Germany)</i>	Long-term value: 0,05 E mg/m ³ I;=2=(I);DFG, 11, 12, H, Sah, Y
<i>WEL (Great Britain english)</i>	Short-term value: 0,07 mg/m ³ Long-term value: 0,02 mg/m ³ Sen; as -NCO
<i>Ingredients with biological limit values:</i>	
101-68-8 diphenylmethane-4,4'-di-isocyanate	
<i>BGW (Germany)</i>	10 µg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: 4,4'-Diaminodiphenylmethan

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Filter A

Protection of hands:



Protective gloves (DIN EN 374)

Chemical resistant protective gloves with CE-labeling

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

Softening of the callus when wearing air-impermeable gloves is possible.

Check the permeability prior to each renewed use of the glove.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses (DIN EN 166)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

Colour: Black

Odour: Characteristic

Odour threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Undetermined.

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Boiling point/Boiling range: 208 °C

Flash point: 164 °C

Flammability (solid, gaseous): Not applicable.

Ignition temperature: > 300 °C

Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: 0,4 Vol %

Upper: 2,9 Vol %

Vapour pressure: Not determined.

Density at 20 °C: 1,19 g/cm³

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Solvent content:

Organic solvents: 0,0 %

Solids content: 99,0 %

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Acute toxicity

<i>LD/LC50 values relevant for classification:</i>		
<i>101-68-8 diphenylmethane-4,4'-di-isocyanate</i>		
<i>Oral</i>	<i>LD50</i>	<i>4700 mg/kg (rat)</i>
<i>Inhalative</i>	<i>LC50/ 4h</i>	<i>370 mg/l (rat)</i>

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

<i>Aquatic toxicity:</i>	
<i>101-68-8 diphenylmethane-4,4'-di-isocyanate</i>	
<i>EC50</i>	<i>>100 mg/l (bacteria)</i>
<i>EC50/ 24h</i>	<i>>1000 mg/l (daphnia)</i>
<i>LC50</i>	<i>> 100 mg/l (fish)</i>
<i>LC50/ 96h</i>	<i>>1000 mg/l (fish)</i>

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

<i>European waste catalogue</i>	
08 00 00	<i>WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</i>
08 04 00	<i>wastes from MFSU of adhesives and sealants (including waterproofing products)</i>
08 04 09*	<i>waste adhesives and sealants containing organic solvents or other dangerous substances</i>

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

UN "Model Regulation": -

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Technical instructions (air):

Class Share in %

I 0.1-1

Brown Brothers Distribution Ltd

PO Box 162, Needham Road, Stowmarket IP14 2ZR

Tel : 01449 778 333 Fax : 01449 773 472

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

The mixture of substances contain no SVHC (Substances of Very High Concern, <http://echa.europa.eu>)

EU-VOC: 0,00 %

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R40 Limited evidence of a carcinogenic effect.

R42/43 May cause sensitisation by inhalation and skin contact.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Department issuing MSDS:

Contact: enquiries@brownbrothers.com

Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

This data sheet is compiled to be of assistance but without guarantee. Users are responsible for safe working practices. Final determination of suitability of any material is the sole responsibility of the user.